



PREDATOR
BATTERIES LTD

PR12-1750DT-DPX

Dual Purpose Extra Deep Cycle AGM Battery



Call Us On: 01458 258199

Web: www.predator-batteries.co.uk

Email: enquires@predator-batteries.co.uk



PREDATOR
BATTERIES LTD


PR12-1750DT-DPX

Dual Purpose Extra Deep Cycle AGM Battery

PERFORMANCE SPECIFICATIONS

Nominal Voltage (V)	12.6
Nominal Capacity (Ah)	115
Total Energy (Wh)	1449
Cycle Life (80% DoD @ 25°C)	≥1000
Weight (Kgs)	30.0
Dimensions (LxWxH)	306 x 169 x 216mm
Internal Resistance	≤5.5 mΩ @ 25°C
Max Charge Current (Amps)	30
Float Charging Voltage (V)	13.6 – 13.8 @ 25°C
Cycle Use Voltage	14.6 – 14.8 @ 25°C
Self Discharge	≤ 3% @ 20°C

DISCHARGING CHARACTERISTICS CURVE



Call Us On: 01458 258199

Web: www.predator-batteries.co.uk

Email: enquires@predator-batteries.co.uk



PREDATOR
BATTERIES LTD

PR12-1750DT-DPX

Dual Purpose Extra Deep Cycle AGM Battery

BATTERY FEATURES

- High Cranking Power
- MCA 875 Amps
- Extra Deep Cycle Ability (1000 Cycles)
- Carbon Reduces Sulphation (PSOC)
- Total Maintenance Free
- Dual Terminal (Post & Stud)
- High Temperature Operation
- Upto 12 Month Shelf Life
- 8 Year Design Life

DIMENSIONS



Call Us On: 01458 258199

Web: www.predator-batteries.co.uk

Email: enquires@predator-batteries.co.uk



PREDATOR
BATTERIES LTD

PR12-1750DT-DPX

Dual Purpose Extra Deep Cycle AGM Battery

APPLICATIONS

Campervan



Marine Battery



Rib Battery



Small Outboard Engine



Caravan



Energy Storage



Traffic Management



Vehicle Conversion



Narrowboat



Product registered and
VERIFIED
www.thencc.org.uk



Call Us On: 01458 258199

Web: www.predator-batteries.co.uk

Email: enquires@predator-batteries.co.uk